

ST. JAMES'S HOSPITAL LABMED DIRECTORATE			
Edition No.:	01	Microbiology Form	Doc No: LF-MICRO-0378
Authorised By	Dr Brendan Crowley	Date 23/09/15	Date of Issue: 23/09/15

Viral Hepatitis Testing for General Practitioners

**ST. JAMES'S
HOSPITAL**

James's St. Dublin 8. Ireland.
Tel (+353-1) 410 3000



Microbiology Department
416 2966

Viral Hepatitis Testing for General Practitioners

Acute Viral Hepatitis Screen

- Hepatitis A IgM
- Hepatitis B surface antigen (HBsAg)
- Hepatitis C antibody and HCV Core Antigen or HCV RNA PCR*
- *HCV antibody may be negative in Acute HCV infection

HEV IgM & HEV RNA: depending on all laboratory parameters and clinical details

Viral Screen for Chronic Hepatitis

- Hepatitis B surface antigen (HBsAg) (HBV DNA only for Hepatology Clinic)
- Hepatitis C antibody

Hepatitis B Infection Status (past or current)

- Hepatitis B surface antigen (HBsAg)
- Hepatitis B core total antibody (HBcAb)

Post Hepatitis B Vaccine Screen

- Hepatitis B surface antibody (HBsAb)
- (Collected 6-8 weeks after completion of HBV vaccination course)

Requested for specified individual tests will be processed with appropriate clinical details.

Clotted blood/serum is the preferred specimen type for all the above Hepatitis tests.

A single full 7ml blood tube will suffice for any test combinations.

Lithium heparin specimens are unsuitable for Hepatitis B surface Antigen detection and Hepatitis C PCR testing.

Specimens for Hepatitis C PCR must be separated within **24 hours** of venepuncture so prompt receipt of specimen is essential and appropriate labelling of specimen & bag (e.g., URGENT PCR) enables prioritisation of specimen through the laboratory.

23/09/2015

Dr. Brendan Crowley
Consultant Microbiologist with special interest in Virology